Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	meindl.in. and meyn.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:10
L5	17	("iso14443" (iso adj "14443")) and (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:30
L6	10	L5 and (smart adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:31
S1	0	(iso adj "14443") and "703".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:02
S2	1	("iso14443") and "703".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 16:42
S3	1	("iso14443" (iso adj "14443")) and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 16:43
S4	0	("iso14443" (iso adj "14443")) and "716".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 16:43
S5	175	("iso14443" (iso adj "14443"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 16:43
S6	17	("iso14443" (iso adj "14443")) and (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:29
S7	426	(contactless adj communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:29

S8	28	S7 and (simulat$5 emulat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:29
S9	22	"235".clas. and "703".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:35
S10	0	S9 and (contactless adj communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:35
S11	0	S9 and (iso14443 (iso adj "14443"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:35
S13	0	(contactless adj3 communication) and (simulat$ emulat$) and (design adj (tool system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:40
S14	34	(contactless adj3 communication) and (simulat$ emulat$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:40
S15	17	((proximity adj coupling adj device) (proximity adj integrated adj circuit adj card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:06
S16	5	(picc and pcd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:10
S17	1919	(smart adj card) and (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:10
S18	280	(smart adj card) same (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:11

S19	58	(smart adj card) same (simulat$4 emulat$4) and (read adj write)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:34
S20	4	"6669098".pn. "6712279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:35
S21	51	mifare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:40
S22	0	S21 and (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:40
S23	850	(ic adj card) and (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:40
S24	31	S23 and ("703".clas. "717".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:57
S25	7	securetech	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:01
S26	1	smartcard adj emulator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:01
S27	10330	stmicroelectronics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:01
S28	16	stmicroelectronics and smartcard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:15

S29	0	smartcard adj emulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:21
S30	0	season adj emulator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:21
S31	0	season same emulator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:05
S32	0	(rfid adj card) same simulat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:05
S33	0	(rfid adj card) same emulat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:08
S34	0	emmicroelectronic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:10
S35	57	rfid same (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:24
S36	52	("ISO14443" "ISO-14443" (iso adj "14443") same (simulat$4 emulat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:26
S37	50	S36 not S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:25
S38	9	("ISO14443" "ISO-14443" (iso adj "14443")) same (simulat$4 emulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:26

Google

Web   Images   Groups   News   Froogle   Local^{New!}   more »

rfid card simulator   [Search]   Advanced Search
                                          Preferences

Web   Results **1 - 10** of about **20,000** for <u>rfid card simulator</u>. (0.25 seconds)

<u>EM Microelectronic, low power ICs, **RFID**, microcontroller, ultra ...</u>
... EMS4600, Theseus IDE **Simulator** license, EMSK4600, Theseus Starter Kit : FLASH programmer and reprogrammable ISO7816-1 Theseus Smart **Cards**, ...
www.emmicroelectronic.com/Line.asp?IdLine=7 - 37k -
<u>Cached</u> - <u>Similar pages</u>

<u>EM Microelectronic, low power ICs, **RFID**, microcontroller, ultra ...</u>
... **Simulator** with instruction granularity • Debugger • Test coverage • **Simulator** Instrumentation • Keil ... and the capability to program Theseus cards with a ...
www.emmicroelectronic.com/Products.asp?IdProduct=183 - 32k -
<u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.emmicroelectronic.com</u>]

<u>Homepage of Wolfgang Rankl - Smart **Card** Link Farm</u>
... www.**RFID**-handbook.de. **RFID**-Handbook. Book "Smart **Card** Developer's Kit". ...
www.hanser.de. Handbuch der Chipkarten, The Smart **Card Simulator**. John Wiley & Sons. ...
www.wrankl.de/Links/Links.html - 81k - Feb 14, 2005 - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Integrating **RFID** and Open Source Technologies to Create a ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... and therefore our development sessions on the emulator was focsed ... hardware: iPAQ and Compact Flash **card** reader is ... Figure 7: iPAQ and Compact Flash **RFID** Reader ...
www.evoknow.com/doc.php?id=integrating_**rfid**.pdf - <u>Similar pages</u>

<u>**RFID**/Radio Frequency Solutions Searches</u>
... **RFID** ROI service **RFID** and Banking **RFID** Consulting tools **RFID** ROI systems **RFID** reader **simulator RFID** and document management **RFID card** reader management as400 ...
www.knowledgestorm.com/search/taxonomy/1758/1758.jsp - 55k -
<u>Cached</u> - <u>Similar pages</u>

<u>RDG / BarcodeAmerica.com - **RFID**</u>
... long-range applications, unlike proximity **cards**, which are ... practical to bring an **RFID** reader to a ... COM Visual Basic • Reader **simulator** • Intellitag command ...
www.rdgguys.com/**rfid**.html - 69k - <u>Cached</u> - <u>Similar pages</u>

<u>**RFID** vs. Smart **Cards**</u>
... **RFID** vs. Smart **Cards**, Logged in as: Guest. ... Printable Version. All Forums >> [Memory & Specialty Discussion Group] >> Smart **Card** >> **RFID** vs. Smart **Cards**, Page: [1 ...
forum.microchip.com/ fb.asp?go=prev&m=59898&viewType=tm - 44k -
<u>Cached</u> - <u>Similar pages</u>

Smart **Card** Alliance - Industry News: Alliance News
... tools is available, including emulator, ROM monitor, **card** emulator, **simulator** and
Smart ... versatility and quality of its chip **card** ICs and **RFID** solutions at ...
www.smart**card**alliance.org/industry_news/ industry_news_item.cfm?itemID=1333 -
21k - Cached - Similar pages

RFID: Radio Frequency Blog
... author and engineer who wrote about cloning Pro-X **RFID cards**. ... I was unclear:
the Motorola Flexpass **card** that I ... is more than a reader; it is also a **simulator**. ...
radio.weblogs.com/0121943/2004/05/23.html - 17k - Cached - Similar pages

PMR-410 Magnetic Stripe **Card** Reader - ebigchina.com
... Applications: Pongee supply model PMR-410 , PMR-417 Series are compact
magnetic stripe **card** readers with keyboard emulator or TTL or RS-232C or USB
outputs. ...
www.ebigchina.com/ebcps/4/pd/1234269.html - 16k - Cached - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Free! Google Desktop Search: Search your own computer.

| rfid card simulator | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

Google

iso 14443 simulation   Search   Advanced Search
                                       Preferences

Web

Results **1 - 10** of about **273** for **iso 14443 simulation**. (0.30 seconds)

[PDF] Spectral **Simulation** of ISO/IEC **14443** Type A & B Interface B10.5 ...
File Format: PDF/Adobe Acrobat - View as HTML
Page 1. SC17 WG8/TF2 N362 Submitted by: FC Consulting Date: 03/03/03 Spectral **Simulation** of ISO/IEC **14443** Type A & B Interface **ISO** ...
www.incits.org/tc_home/b105htm/
b105Doc2003/N03-122-spectra-106-847.pdf - Similar pages

[PDF] Card Production Machine
File Format: PDF/Adobe Acrobat - View as HTML
... verification, physical flexing of the card, RF field range **simulation** of actual ... card interface device, the Card Production Machine can process **ISO 14443** Type A ...
cubic.com/cts/Publications/ DataSheets/Ltr/DATA-CPM-US.pdf - Similar pages

[PDF] CLASS-3150
File Format: PDF/Adobe Acrobat - View as HTML
... **ISO 14443** Contactless smart card **simulation** Used to test terminal protocols and applications, the CLASS 3150 allows the **simulation** of type A or B contactless ...
www.securetech-corp.com/pdf/class3150.pdf - Similar pages

SecureTech :: Smart Card Analyser :: CLASS-3150
... You can find and fix quickly any error in the protocol or the application using CLASScope software. **ISO 14443** Contactless smart cards **simulation**. ...
www.securetech-corp.com/class3150.html - 20k - Cached - Similar pages

STMicroelectronics | Dual Contactless Smartcard MCU With 2 Kbytes ...
... and validation of softwares: Smartcard ICs Emulator, ST19X **simulation** package, ScDevTools pack ... RF contactless demokit based upon **ISO 14443** type B standard. 2/3 ...
www.st.com/stonline/books/ascii/docs/10531.htm - 18k - Cached - Similar pages

Integri
... Class 3150: **ISO/IEC 14443** Hardware Probe (for logging and **simulation**); ISO10373-6 Test Apparatus : a test apparatus including a set of antennas according ...
www.integri.com/inqfor/inqforcontactless.html - 4k - Cached - Similar pages

The Credence Report - Cost-Effective Test Solutions for Smart Card ...
... At the same time, demand is rising rapidly for more sophisticated contactless cards based on international standards such as **ISO 14443**. ...
www.credence.com/e_news/issue0503/article02-0503.html - 20k -
Cached - Similar pages

SiliconStrategies.com - Infineon, Philips Semiconductors short ...
... According to Neville Pattison, Axalto's director of business development, technology and government affairs, it bid both Philips' 72-K **ISO 14443** Type A and ...

www.siliconstrategies.com/article/ showArticle.jhtml?articleId=52500017 - 43k -
Cached - Similar pages

RFID-Handbook - Downloads
... PCB and layout-data for the **ISO 14443**-testtransponder, described in the 2nd
German ... The package RFIDmodel consists of a paper and **simulation** program with
its ...
www.rfid-handbook.de/downloads/ - 25k - Cached - Similar pages

Services & Products > Microelectronics & Electronic Devices > ...
... MB 89R076, 8bit, 4KB, 32KB, 4Kbit, DES, Contactless, **ISO 14443**. HIFERRON
Series(32bit). ... CPU, FRAM, ROM, RAM, Encryption, I/F, Note. MB 89R111, -, 2KB,
-, -, -, ...
www.fujitsu.com/global/services/ microelectronics/product/memory/fram/lineup/ - 18k -
Cached - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Free! Google Desktop Search: Search your own computer.

iso 14443 simulation   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore*
RELEASE 1.8

Welcome
United States Patent and Trademark Office

IEEE *Xplore*®
1 Million Documents
1 Million Users
...And Growing

Help   FAQ   Terms   IEEE Peer Review

Quick Links

» **Search Results**

Your search matched **17** of **1128145** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or entering a new one in the text box.

rfid<and>simulation | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

1 **Exploring the Impact of RFID on Supply Chain Dynamics**
Lee, Y.M.; Feng Cheng; Ying Tat Leung;
Simulation Conference, 2004. Proceedings of the 2004 Winter , Volume: 2 , December 5-8, 2004
Pages:90 - 97

[Abstract]   [PDF Full-Text (889 KB)]   **IEEE CNF**

2 **A novel tag design using inverted-F antenna for radio frequency identification of metallic objects**
Ukkonen, L.; Sydanheirno, L.; Kivikoski, M.;
Advances in Wired and Wireless Communication, 2004 IEEE/Sarnoff Symposium on , 26-27 Apr 2004
Pages:91 - 94

[Abstract]   [PDF Full-Text (410 KB)]   **IEEE CNF**

3 **Network agents for life cycle support of mechanical parts**
Hiraoka, H.; Iwanami, N.; Fujii, Y.; Seya, T.; Ishizuka, H.;
Environmentally Conscious Design and Inverse Manufacturing, 2003. EcoDesign '03. 2003 3rd International Symposium on , 8-11 Dec. 2003
Pages:61 - 64

[Abstract]   [PDF Full-Text (332 KB)]   **IEEE CNF**

4 **Backscattering characteristics of finite narrow rectangular loop array**
Tsien Ming Au; Chia, Y.W.M.; Mook-Seng Leong;
Antennas and Propagation Society International Symposium, 1997. IEEE., 1997 Digest , Volume: 1 , 13-18 July 1997
Pages:294 - 297 vol.1

[Abstract]   [PDF Full-Text (176 KB)]   **IEEE CNF**

5 **A transponder IC for wireless identification systems**

Sau-Mou Wu; Jeng-Rern Yang; Tzen-Yi Liu;
Personal, Indoor and Mobile Radio Communications, 1996. PIMRC'96., Seventh
IEEE International Symposium on , Volume: 1 , 15-18 Oct. 1996
Pages:238 - 241 vol.1

[Abstract]   [PDF Full-Text (308 KB)]   **IEEE CNF**

---

6 **Behavioral modeling and simulation of antennas: radio-frequency identification case study**
Beroulle, V.; Khouri, R.; Vuong, T.; Tedjini, S.;
Behavioral Modeling and Simulation, 2003. BMAS 2003. Proceedings of the
2003 International Workshop on , 7-8 Oct. 2003
Pages:102 - 106

[Abstract]   [PDF Full-Text (496 KB)]   **IEEE CNF**

---

7 **A fully digital frequency shift keying demodulator chip for wireless biomedical implants**
Ghovanloo, M.; Najafi, K.;
Mixed-Signal Design, 2003. Southwest Symposium on , 23-25 Feb. 2003
Pages:223 - 227

[Abstract]   [PDF Full-Text (459 KB)]   **IEEE CNF**

---

8 **A low-voltage mixed-mode CMOS/SOI integrated circuit for 13.56 MHz RFID applications**
Villard, P.; Bour, C.; Dallard, E.; Lattard, D.; de Pontcharra, J.; Robert, G.; Roux, S.;
SOI Conference, IEEE International 2002 , 7-10 Oct. 2002
Pages:163 - 164

[Abstract]   [PDF Full-Text (241 KB)]   **IEEE CNF**

---

9 **A study on the design of large-scale mobile recording and tracking systems**
Lim, A.; Kui Mok;
System Sciences, 1998., Proceedings of the Thirty-First Hawaii International
Conference on , Volume: 7 , 6-9 Jan. 1998
Pages:701 - 710 vol.7

[Abstract]   [PDF Full-Text (588 KB)]   **IEEE CNF**

---

10 **An improved MUSIC TOA estimator for RFID positioning**
Wang, J.S.; Shen, Z.X.;
RADAR 2002 , 15-17 Oct. 2002
Pages:478 - 482

[Abstract]   [PDF Full-Text (363 KB)]   **IEEE CNF**

---

11 **Using text as a meander line for RFID transponder antennas**
Keskilammi, M.; Kivikoski, M.;
Antennas and Wireless Propagation Letters , Volume: 3 , Issue: 16 , Dec. 2004
Pages:372 - 374

[Abstract]   [PDF Full-Text (507 KB)]   **IEEE JNL**

---

12 **An RFID based technique for handling object distribution and recalls in pervasive transaction environments**

De, P.; Basu, K.; Das, S.K.;
Mobile Ad-hoc and Sensor Systems, 2004 IEEE International Conference on
, 25-27 Oct. 2004
Pages:349 - 358

[Abstract]   [PDF Full-Text (945 KB)]   **IEEE CNF**

---

13 **To read transmitter-only RFID tags with confidence**
Bin Zhen; Kobayashi, M.; Shimizu, M.;
Personal, Indoor and Mobile Radio Communications, 2004. PIMRC 2004. 15th
IEEE International Symposium on , Volume: 1 , 5-8 Sept. 2004
Pages:396 - 400 Vol.1

[Abstract]   [PDF Full-Text (448 KB)]   **IEEE CNF**

---

14 **A novel offset compensation biquad switched-capacitor filter
design**
Li Qiang; Han Yifeng; Xu Ke; Min Hao;
ASIC, 2003. Proceedings. 5th International Conference on , Volume: 1 , 21-24
Oct. 2003
Pages:643 - 646 Vol.1

[Abstract]   [PDF Full-Text (285 KB)]   **IEEE CNF**

---

15 **New design of RF interface circuits for PICC complying with
ISO/IEC14443-2 type B**
Liang Lingyu; Zhao Nan; Yang Xingzi;
ASIC, 2003. Proceedings. 5th International Conference on , Volume: 2 , 21-24
Oct. 2003
Pages:1037 - 1041 Vol.2

[Abstract]   [PDF Full-Text (339 KB)]   **IEEE CNF**

---

1 2 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web
Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release
Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top